

L Number	Hits	Search Text	DB	Time stamp
6	2	20030110293.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 11:31
7	2	("6225944").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 11:31
8	2	("6151505").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:06
10	4145	(709/(223,228,245)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:13
11	178	(455/(456.2)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:13
12	2391	((709/(223,228,245)).CCLS.) or ((455/(456.2)).CCLS.))and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:14
13	15	((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) same updat\$3 and @ad<20000424 and (((709/(223,228,245)).CCLS.) or ((455/(456.2)).CCLS.))and @ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:15
-	33	discover\$3 near4 (physical adj (location or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 09:50
-	26	(discover\$3 near4 (physical adj (location or address))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:27
-	2	("6570926").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:22
-	1	uniquely with persistently with identifying with networks.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:23
-	34	(discover\$3 near4 ((physical adj (location or address)) or (location or geographic\$5) adj information)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:31
-	24	(discover\$3 near4 ((physical adj (location or address)) or (location or geographic\$5) adj information)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:37
-	29	(determin\$3 or discover\$3) with (geographic\$3 or location) with interface\$1!.ti. and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:52

-	484	(determin\$3 or discover\$3) near4 (geographic\$3 or location) near5 interface\$1! and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:53
-	2	((determin\$3 or discover\$3) near4 (geographic\$3 or location) near5 interface\$1! and @ad<20000424) and (error adj range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 17:14
-	5	(notif\$3 or alert\$3) with (application or service) with ((location or geographic\$4) adj (information or data)) with (chang\$3 or alter\$3 or modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:24
-	2	20010047407.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 18:30
-	19	MOORE-TIMOTHY-M.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:42
-	19	HUITEMA-CHRISTIAN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:18
-	6	EYDELMAN-VADIM.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:19
-	0	VENABLE-JEFFREY-C.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:29
-	5146	(determin\$3 or discover\$3 or learn\$3) near8 (location or address) near5 (interfac\$3 or adapter\$1! or NIC\$1! or port\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:36
-	62	(determin\$3 or discover\$3 or learn\$3) near8 ((physical or geographic\$4) adj (location or address)) near5 (interfac\$3 or adapter\$1! or NIC\$1! or port\$1!) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:10
-	1	"5185860".PN.	USPAT	2003/12/02 11:42
-	7914	locat\$3 adj3 interfac\$3 and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:11
-	73	locat\$3 adj3 interfac\$3 with (physical or location oe geographic\$5) adj (address\$2 or information) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:12
-	13	((determin\$3 or discover\$3 or ascertain3) near7 ((network adj interface\$1!) or (modem adj card\$1!) or NIC\$1! or adapter\$1!)) near4 (physical\$3 or geographic\$5) near4 locat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:13
-	1	(error adj (range or bound)) same ((location or geographic\$4 or physical\$3) adj (information or data or address\$2)) with (chang\$3 or alter\$3 or modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 17:35

-	23	((error adj (range or bound)) and ((location or geographic\$4 or physical\$3) adj (information or data or address\$2)) with (chang\$3 or alter\$3 or modify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 17:35
-	9	((error adj (range or bound)) and ((location or geographic\$4 or physical\$3) adj (information or data or address\$2)) with (chang\$3 or alter\$3 or modify\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 17:36
-	41	latitude with longitude with altitude same (physical adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:42
-	23	(latitude with longitude with altitude same (physical adj location)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 18:42
-	123	((service or application) near4 (request\$3 or command\$3)) with ((physical or geographic) adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:46
-	51	((service or application) near4 (request\$3 or command\$3)) with ((physical or geographic) adj location)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:09
-	0	((global\$2 adj unique adj identifier) or GUID) with (network adj interface)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:11
-	1175	((global\$2 adj unique adj identifier) or GUID)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:54
-	0	NLRSP and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:55
-	1	network adj location adj resolution and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 12:02
-	5	information adj3 provid\$3 adj3 application\$1! near3 API and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:28
-	1	((physical adj location) near4 (format\$3 or covert\$3) same latitude with longitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:31
-	1	((physical adj location) with (format\$3 or covert\$3) same latitude with longitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:31
-	60	((physical or geographic or location)) with (format\$3 or covert\$3) same latitude with longitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:32

-	207	((physical or geographic or location)) with (format\$3 or covert\$3) same latitude with longitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:32
-	91	((physical or geographic or location)) with (format\$3 or covert\$3) same latitude with longitude)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:57
-	3	(physical adj location) adj3 (discovery or determin\$3) adj (method\$1! or technique\$1! or algorithm\$1!) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 12:14
-	1	(notify\$3 or alert\$3) near4 (physical adj location) near4 (chang\$3 or alter\$3 or modif\$4) with application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 14:04
-	6	((geographic\$5 or physical) adj location) adj3 (discovery or determin\$3) adj (method\$1! or technique\$1! or algorithm\$1!) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:21
-	2	(notify\$3 or alert\$3) near4 ((geographic\$5 or physical) adj location) near4 (chang\$3 or alter\$3 or modif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 14:06
-	13	(notify\$3 or alert\$3) with ((geographic\$5 or physical) adj location) with (chang\$3 or alter\$3 or modif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 15:45
-	124	(notify\$3 or alert\$3 or updat\$3) with ((geographic\$5 or physical) adj location) with (chang\$3 or alter\$3 or modif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 15:46
-	55	((notify\$3 or alert\$3 or updat\$3) with ((geographic\$5 or physical) adj location) with (chang\$3 or alter\$3 or modif\$4)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 15:47
-	2277	((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) same updat\$3 and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:14
-	8	709/223 and((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) same updat\$3 and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 17:25
-	182	GPS same((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) same updat\$3 and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 11:22
-	2	20030110293.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 11:22
-	107	(notif\$3 or alert\$3 or updat\$3) with (application\$1! or service\$1! or client\$1! or subscriber\$1!) with ((location or geographic\$4 or physical) near3 (information or data)) with (chang\$3 or alter\$3 or modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:44

-	64	((notif\$3 or alert\$3 or updat\$3) with (application\$1! or service\$1! or client\$1! or subscriber\$1!) with ((location or geographic\$4 or physical) near3 (information or data)) with (chang\$3 or alter\$3 or modify\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:27
-	30	((notif\$3 or alert\$3 or updat\$3) with (application\$1! or service\$1! or client\$1! or subscriber\$1!) with ((geographic\$4 or physical) near3 (location)) with (chang\$3 or alter\$3 or modify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:48
-	9	((notif\$3 or alert\$3 or updat\$3) with (application\$1! or service\$1! or client\$1! or subscriber\$1!) with ((geographic\$4 or physical) near3 (location)) with (chang\$3 or alter\$3 or modify\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:45
-	41	((notif\$3 or alert\$3 or updat\$3) near5 ((geographic\$4 or physical) near3 (location)) near5(chang\$3 or alter\$3 or modify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 13:07
-	22	((notif\$3 or alert\$3 or updat\$3) near5 ((geographic\$4 or physical) near3 (location)) near5(chang\$3 or alter\$3 or modify\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:49
-	69	((notif\$3 or alert\$3 or updat\$3) with ((geographic\$5 or physical) near3 (location\$1!)) with (chang\$3 or alter\$3 or modify\$3) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 13:35
-	2	("6236652").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:06
-	1	list adj2 (physical or geographic) adj location adj discovery adj (methods or algorithms)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:09
-	1	list adj2 (physical or geographic) adj location adj (discovery near3 (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:09
-	1	(list adj2 (physical or geographic) adj location) with (discovery near3 (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:10
-	1	(list adj2 (physical or geographic) adj location) same (discovery near3 (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:10
-	209888	(list adj2 (physical or geographic) adj location) sand (discovery near3 (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:10
-	1	(list adj2 (physical or geographic) adj location) and (discovery near3 (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:11
-	3	(list adj2 (physical or geographic) adj location) and (discover\$3 with (methods or algorithms))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 14:16

-	8	(notify\$3 or signal\$3 or inform\$3 or alert\$3) adj7 ((physical or geographic\$5) adj (location or positon)) adj3 (chang\$3 or alter\$3 or modify\$3 or updat\$3 or mov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 11:38
-	2	("6225944").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 14:43
-	88	(updat\$3 or synchroniz\$3) near4 (((physical or geographic) adj location) or position) near4 report\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 14:44
-	58	((updat\$3 or synchroniz\$3) near4 (((physical or geographic) adj location) or position) near4 report\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 15:31
-	1	(notify\$3 or inform\$3 or alert\$3) adj4 application\$1! adj4 ((physical or geographic\$5) adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 15:33
-	2	(notify\$3 or inform\$3 or alert\$3) with ((physical or geographic\$5) adj location) near3 (chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 16:25
-	2	("6236652").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 16:27
-	2	("6490521").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/13 16:27
-	2	Marples-david.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 07:40
-	353	TELCORDIA with TECHNOLOGIES with INC.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 07:40
-	13	(TELCORDIA with TECHNOLOGIES with INC.as.) and (location near3 service\$1!) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 07:48
-	1	location near3 aware near4 services and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 08:09
-	6	location near3 aware with services and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:36
-	2	location adj aware near5 services and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/15 10:36

-	2	location adj aware near5 application\$1! and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:36
-	1	(notify\$3 or signal\$3 or inform\$3 or alert\$3) with (reported adj (physical or geographic\$5) adj (location or positon)) with (chang\$3 or alter\$3 or modify\$3 or updat\$3 or mov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:39
-	1	(notify\$3 or signal\$3 or inform\$3 or alert\$3) with (reported adj (physical or geographic\$5) adj (location or positon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:39
-	9	(reported adj (physical or geographic\$5) adj (location or positon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:43
-	5	(notif\$5 adj2 changes) with ((location adj information) or ((physical or geographic\$5) adj (location or positon)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:49
-	27	(notif\$5 adj2 changes) same ((location adj information) or ((physical or geographic\$5) adj (location or positon)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:59
-	4	((notif\$5 adj2 changes) same ((location adj information) or ((physical or geographic\$5) adj (location or positon)))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:49
-	310	(((notif\$5 or updat\$3 or synchroniz\$3 or modify\$3 or alert\$3 or inform\$3 or alarm)) near5 (chang\$3 or modify\$3 or mov\$3 or different) near3 ((location adj information) or ((physical or geographic\$5) adj (location or positon)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:01
-	210	(((notif\$5 or updat\$3 or synchroniz\$3 or modify\$3 or alert\$3 or inform\$3 or alarm)) near5 (chang\$3 or modify\$3 or mov\$3 or different) near3 ((location adj information) or ((physical or geographic\$5) adj (location or positon)))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:11
-	43	(((((notif\$5 or updat\$3 or synchroniz\$3 or modify\$3 or alert\$3 or inform\$3 or alarm)) near5 (chang\$3 or modify\$3 or mov\$3 or different) near3 ((location adj information) or ((physical or geographic\$5) adj (location or positon)))) and @ad<20000424) and (GPS or location adj aware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:11
-	43	(((((notif\$5 or updat\$3 or synchroniz\$3 or modify\$3 or alert\$3 or inform\$3 or alarm)) near5 (chang\$3 or modify\$3 or mov\$3 or different) near3 ((location adj information) or ((physical or geographic\$5) adj (location or positon)))) and @ad<20000424) and (GPS or (location adj aware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:44
-	17	(((((((notif\$5 or updat\$3 or synchroniz\$3 or modify\$3 or alert\$3 or inform\$3 or alarm)) near5 (chang\$3 or modify\$3 or mov\$3 or different) near3 ((location adj information) or ((physical or geographic\$5) adj (location or positon)))) and @ad<20000424) and (GPS or (location adj aware))) and (longitude with latitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:14

-	5	(location adj change adj event) and (GPS or (location adj aware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:51
-	141	(location adj chang\$3) and (GPS or (location adj aware)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:52
-	36	(location adj chang\$3) and (GPS or (location adj aware)) same (longitude with latitude) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:53
-	1	((error adj range) near4 ((physical adj (location or address)) or (location or geographic\$5)) adj information)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:28
-	2	((error adj range) with ((physical adj (location or address)) or (location or geographic\$5)) adj information)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:28
-	3797204	((error adj range) with ((physical adj (location or address)) or (location or geographic\$5)) adj information) or ((location adj information) or position)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:29
-	3797204	((error adj range) with ((physical adj (location or address)) or (location or geographic\$5)) adj information) or ((location adj information) or position)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:30
-	2	((error adj range) with ((physical adj (location or address)) or (location or geographic\$5)) adj information) or ((location adj information) or position)) same (logitue with latitude)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:30
-	4	(location adj (method\$1! or (technologies or technology))) same (longitude with latitude with altitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:44
-	58	(location adj (method\$1! or (technologies or technology)))and (longitude with latitude with altitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:58
-	0	(report\$3 or return\$3 or pass\$3 or send\$3) adj3 (location adj (method\$1! or (technologies or technology)))and (longitude with latitude with altitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:59
-	2	(report\$3 or return\$3 or pass\$3 or send\$3) with (location adj (method\$1! or (technologies or technology)))and (longitude with latitude with altitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:01
-	31	(report\$3 or return\$3 or pass\$3 or send\$3) with (location near5 (method\$1! or (technologies or technology)))and (longitude with latitude with altitude)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:02
-	7	((report\$3 or return\$3 or pass\$3 or send\$3) with (location near5 (method\$1! or (technologies or technology)))and (longitude with latitude with altitude)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:11

-	44	(report\$3 or display\$3 or return\$3 or pass\$3) adj4 (location adj method\$1!) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:16
-	52	(report\$3 or display\$3 or return\$3 or pass\$3) adj4 (location adj (method\$1! or technique or technology)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:24
-	134	(report\$3 or display\$3 or return\$3 or pass\$3) near5 ((locat\$3 or discover\$3) adj (method\$1! or technolog\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:38
-	2	(report\$3 or display\$3 or return\$3 or pass\$3) adj7 (((method\$1!) adj2 used adj3 (locat\$3 or identif\$3 or discover\$3 or determin\$3 or ascertain\$3)) adj4 location) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:41
-	2	(report\$3 or display\$3 or return\$3 or pass\$3) adj7 (((method\$1! or technology or algorithm) adj2 used adj3 (locat\$3 or identif\$3 or discover\$3 or determin\$3 or ascertain\$3)) adj4 location) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:44
-	6	(report\$3 or display\$3 or return\$3 or pass\$3) adj7 (((method\$1! or technology or algorithm) near4 used near3 (locat\$3 or identif\$3 or discover\$3 or determin\$3 or ascertain\$3)) adj4 location) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:45
-	7	(report\$3 or display\$3 or return\$3 or pass\$3) adj7 (((method\$1! or technology or algorithm) near4 used near3 (locat\$3 or identif\$3 or discover\$3 or determin\$3 or ascertain\$3)) with location) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:46
-	33	(report\$3 or display\$3 or return\$3 or pass\$3) with (((method\$1! or technology or algorithm) near4 used near3 (locat\$3 or identif\$3 or discover\$3 or determin\$3 or ascertain\$3)) with location) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 14:47
-	12	(location adj chang\$3) near3 (report\$3 or inform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 14:48
-	5	((location adj chang\$3) near3 (report\$3 or inform\$3)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:06
-	2	("6225944").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:06
-	16	nam\$3 adj2 (logical adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 11:16
-	1093	type near2 (connection or link or interface) with speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 16:57

-	1	latitude with longitude with altitude same (physical adj location) and (type near2 (connection or link or interface) with speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:42
-	2	((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) same updat\$3 and @ad<20000424 and (type near2 (connection or link or interface) with speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:45
-	49	((geographic\$5 or physical) adj location) or position) near3 (discovery or determin\$3 or learn\$3 or ascertain\$3) and @ad<20000424 and (type near2 (connection or link or interface) with speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:45
-	140	type near2 (connection or link or interface) with (speed near2 (connection or link or interface)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:58
-	4240	error adj range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 18:30
-	33904	709/223 amd (error adj range) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 18:30
-	1	709/223 and (error adj range) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 18:36
-	18	709/\$ and (error adj range) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 18:46
-	237	342/\$ and (error adj range) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/18 18:46